

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO OREGON DIVISION



Month Ending August 31, 19 68

1

(1) UNIT NUMBER <b>PASSENGER</b>	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
900 TS	RAD CCS	P	Pool Hinkle-Spokane	7-12-69	3222	216	584	318	482	T	7-67	2-65	6-56	7-67	C 1 C 2	Oma "	7- 2-	11-67 8-67
900B		P	" Omaha-Los Angeles	4- 6-69	3386	65	735	207	593	T	4-68	7-67	1-56	4-68	C 1 C 2	" "	4- 7-	6-68 2-67
901 TS	RAD CCS	P	" Portland-Seattle	1-20-69	3346	389	411	389	411	T	1-67	1-67	5-56	1-67	C 1-2	"	1-	16-67
901B		P	" Omaha-Los Angeles	3-12-69	3338	285	515	285	515	T	2-65	8-67	1-58	3-67	C 1-2	"	3-	9-67
902 TS	RAD CCS	P	" KC-Ogden-LA	2-16-69	3264	590	210	351	449	T-11	2-66	2-67	5-56	1-66	C 1 C 2	" "	2- 2-	12-66 13-67
902B		P	" Poca-Buhl	2-17-69	3357	101	694	177	623	T	2-68	8-67	2-56	2-68	C 1 C 2	" "	2- 8-	17-68 18-67
903 TS	RAD CCS	P	" Omaha-Los Angeles	10-13-68	3371	444	356	444	356	T	6-66	10-66	2-56	10-66	C 1-2	"	10-	20-66
903B		F	" Beatrice	2-20-69	3343	347	453	303	497	T	12-66	2-67	2-56	2-67	C 1 C 2	" "	12- 2-	22-66 17-67
904B		F	" Albina-Pocatello	2-12-69	3365	316	484	316	484	T	2-67	2-67	2-56	1-67	C 1-2	"	2-	3-67
905 TS	RAD CCS	P	" Omaha-Portland	6- 5-69	3371	261	539	261	539	T	6-67	6-67	2-56	5-68	C 1-2	"	6-	4-67
906 TS	RAD CCS	P	" Salt Lake-Butte	5-24-69	3337	287	523	58	742	T	5-67	5-68	2-56	5-68	C 1 C 2	" "	5- 5-	25-67 24-68
907 TS	RAD CCS	P	" Omaha-Los Angeles	9-28-68	3285	179	621	179	621	T	6-65	9-67	6-56	9-67	C 1-2	"	9-	28-67

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO OREGON DIVISION


Provided by  
www.uphs.org



Month Ending August 31, 19 68

(1) UNIT NUMBER <b>PASSENGER</b>	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
908 TS	RAD CCS	P	Pool KC-Ogden-LA	3-22-69	1740	594	506	594	506	T	2-64	3-64	9-61	3-68	B 1-2	507M Oma	3-	22-68
909 TS	RAD CCS	FB	" NoPlat-Torrington	5-30-69	1704	496	304	496	304	T	8-67	6-66	9-61	6-67	C 1-2	"	6-	2-66
910 TS	RAD CCS	P	Albina, Held RR	9-14-68	1357	178	622	178	622	T	9-67	9-67	12-62	9-67	C 1-2	"	9-	14-67
910B		F	Pool CoBluffs-NoPlatte	9-23-68	1370	144	656	144	656	T	9-67	9-67	12-62	9-67	C 1-2	"	9-	23-67
911B		P	" Omaha-Portland	1- 9-69	1381	334	466	334	466	T	1-67	1-67	12-62	1-67	C 1-2	"	1-	7-67
912 TS	RAD CCS	F	" Council Bl-NoPlatte	11-23-68	1177	416	384	416	384	T	11-66	11-66	12-63	11-66	C 1-2	"	11-	19-66
912B		F	" " " " "	10-27-68	1087	354	446	354	446	T	11-66	5-67	12-63	8-67	C 1-2	"	11-	5-66
913 TS	RAD CCS	P	" Hinkle-Spokane	2- 2-69	1135	12	788	592	208	T	1-64	7-65	1-64	2-68	AXE 1 C 2	"	8-	7-68
913B		F	" CoBluffs-NoPlatte	6- 5-69	1050	202	598	452	348	T	9-63	6-66	1-64	6-68	AXE 1 C 2	"	7-	15-67
914 TS	RAD CCS	P	Omaha, Held RR	1- 8-69	1107	590	210	590	210	T	2-67	1-68	1-64	1-66	C 1-2	"	1-	21-66
922B		P	Pool Omaha-Portland	1-23-69	3913	123	695	328	472	T	1-68	12-64	2-53	1-68	C 1 C 2	"	1-	23-68
923B		P	" " Los Angeles	11-26-68	4176	148	652	148	652	T	11-67	11-67	3-53	6-68	C 1-2	"	11-	26-67
925 TS	RAD CCS	P	" " Portland	2-28-69	4305	643	157	643	157	T	2-66	2-64	12-61	2-67	C 1-2	"	2-	16-66

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO OREGON DIVISION



Month Ending August 31, 1968

3

(1) UNIT NUMBER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
<u>PASSENGER</u>																		
925B		P	Pool Omaha-Los Angeles	10-22-68	4142	172	628	172	628	T	10-67	10-67	4-53	10-67	C 1-2	Oma	10-22-67	
926 TS	RAD CCS	P	" " " "	12- 7-68	5177	170	630	170	630	T	12-67	12-67	5-50	6-68	C 1-2	"	12- 7-67	
927 TS	RAD CCS	P	" " Portland	5-10-69	5089	285	515	285	515	T	4-65	4-65	6-50	5-67	C 1-2	"	5- 5-67	
928B		P	" " Los Angeles	6-10-69	4529	239	561	239	561	T	5-65	6-67	3-52	6-67	C 1-2	"	6- 9-67	
929 TS	RAD CCS	P	" " " "	4- 5-69	5192	336	464	336	464	T	3-67	3-67	8-50	3-67	C 1-2	"	3- 21-67	
930B		F	" CoBluffs-NoPlatte	3-15-69	5060	527	273	527	273	T	2-66	2-64	2-66	2-66	B1, 2	452M "	3- 15-68	
931 TS	RAD CCS	P	" Omaha-Los Angeles	4-17-69	4067	80	720	576	739	T	4-68	3-64	3-53	4-68	C 1 B 2	" 500M "	4- 17-68 4- 17-68	
931B		P	" " " "	11- 5-68	4222	110	690	110	690	T	11-67	11-67	2-53	11-67	C 1-2	"	11- 5-67	
932 TS	RAD CCS	P	" KC-Ogden-LA	9-15-68	4027	420	380	420	380	T	9-66	9-66	3-53	11-66	C 1-2	"	9- 29-66	
933 TS	RAD CCS	P	" Omaha-Portland	7-31-69	4175	707	93	707	93	10	8-65	8-65	3-53	7-67	C 1-2	"	8- 20-65	
933B		P	" " Los Angeles	2- 6-69	4299	486	314	681	219	T	3-65	7-66	2-53	1-67	B 1 B 2	382M " 578M "	2- 6-68 2- 6-68	
934 TS	RAD CCS	P	" " Portland	8-28-69	4148	208	592	208	592	T	9-64	8-65	4-53	8-67	C 1-2	"	8- 26-67	

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO OREGON DIVISION

Provided by  
www.uphs.org



Month Ending August 31, 19 68

4

(1) UNIT NUMBER <u>PASSENGER</u>	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
935 TS	RAD CCS	P	Pool KC-Ogden-LA	7-13-69	4243	272	538	682	118	T-11	7-67	7-63	4-53	8-66	C 1 AXE 2	Omaha "	7-15-67 12-24-65	
936B		P	" Omaha-Los Angeles	12-7-68	4259	416	384	591	209	T	12-65	12-65	2-53	3-67	AXE 1 AXE 2	" "	8-3-66 10-29-65	
937B		P	" " " "	3-21-69	4350	546	254	467	333	T	3-66	9-63	2-53	3-68	C 1 AXE 2	" "	3-11-66 7-22-66	
938 TS	RAD CCS	P	" KC-Ogden-LA	7-17-69	4043	594	206	232	568	T	7-65	11-64	4-53	7-67	AXE 1 C 2	" "	2-20-66 7-28-67	
938B		F	" CoBluffs-NoPlatte	12-11-68	4197	574	226	514	226	T	12-65	2-63	3-53	12-67	C 1-2	"	12-16-65	
939B		P	" Omaha-Portland	8-9-69	4282	428	372	428	372	T	3-65	8-66	3-53	7-66	C 1-2	"	8-12-66	
940 TS	RAD CCS	P	" " "	1-9-69	4206	357	443	357	443	T	4-65	6-65	5-53	1-67	C 1-2	"	1-7-67	
940B		P	" " Los Angeles	11-3-68	4302	138	662	505	295	T	11-67	12-63	3-53	10-66	C 1 AXE 2	" "	11-3-67 5-12-66	
941B		P	" " " "	3-6-69	4242	298	502	298	502	T	2-65	8-64	3-53	2-67	C 1-2	"	3-1-67	
942B		P	" " Portland	11-30-68	4198	334	466	370	389	T	11-66	2-68	12-64	11-66	C 1 AXE 2	" "	11-30-66 9-28-66	
943 TS	RAD CCS	P	" " "	2-6-69	3937	356	444	356	444	T	1-65	12-64	5-54	1-68	C 1-2	"	1-31-67	
944 TS	RAD CCS	P	" " "	5-15-69	3991	582	208	73	727	T	4-66	5-68	5-54	5-68	B 1 C 2	505M "	5-15-68 5-15-68	

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO OREGON DIVISION

Month Ending August 31, 19 68

(1) UNIT NUMBER PASSENGER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
944B		F	Pool CoBluffs-NoPlatte	6-25-69	4312	33	766	383	417	T	9-66	9-66	4-53	9-66	AXE 1 C 2	Oma "	6- 25-68 9- 21-66	
945B		P	" Omaha-Los Angeles	3-11-69	4273	270	530	270	530	T	2-65	9-66	4-53	3-67	C 1-2	"	3- 7-67	
947 TS	RAD CCS	P	" " Portland	6-28-69	3922	264	536	264	536	T	6-67	7-65	6-54	5-68	C 1-2	"	6- 29-67	
947B		P	" " "	10-27-68	4357	164	636	164	636	T	10-67	10-67	5-53	3-68	C 1-2	"	10- 27-67	
948B		P	" " "	3-22-69	4332	668	132	85	715	7	3-64	3-68	5-53	3-67	AXE 1 C 2	" "	10- 2-65 3- 22-68	
949B		P	" " Los Angeles	5- 3-69	4149	485	615	485	615	T	3-64	7-64	5-53	4-68	B 1-2	436M "	5- 2-68	
951B		P	" " " "	6-13-69	4052	37	763	37	763	T	6-68	6-68	5-54	6-68	C 1-2	"	6- 13-68	
952 TS	RAD CCS	P	" " " "	6-20-69	3614	276	524	276	524	T	6-65	6-65	6-55	6-67	C 1-2	"	6- 16-67	
963B (58)		P	" " " "	5-21-69	3576	498	302	498	302	T	5-66	6-60	6-55	7-68	C 1-2	"	5- 21-66	

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO OREGON DIVISION


Provided by  
www.uphs.org



Month Ending August 31, 19 68

(1) UNIT NUMBER FREIGHT	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED- MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
100	RAD	F	Pool Hinkle-Spokane	9-12-68	596	143	457			T	3-65		2-53		C	SL	3-	22-65
101	RAD	C	Work Ayer-Riparia	2-21-69	669	249	352			T	12-67		2-53		C	Oma	3-	10-61
103	RAD	FL	Kennewick Switcher	6- 4-69	697	115	481			T	12-67		2-53		C	SL	12-	17-65
104	RAD	FB	Grays Harbor Branch	2- 7-69	654	128	470			T	7-68		2-53		AXE	SL	2-	6-65
105	RAD	F	Hinkle, Held RR	7-31-69	751	224	476			T	8-65		2-53		C	SL	7-	10-63
106	RAD	FL	Albina-Argo local	DUE	716	370	430			T	3-53		3-53		AXE	SL	10-	16-59
107	RAD	FL	" " "	2- 7-69	723	77	523			T	1-67		3-53		AXE	SL	1-	28-67
108	RAD	FB	Hinkle-Walla Walla Br	4-29-69	736	259	341			T	3-54		3-53		AXE	Alb	4-	16-63
110	RAD	FL	Farley Turn	3- 8-69	598	13	587			T	11-58		6-53		C	SL	3-	8-68
112	RAD	FB	Hinkle-WaWalla Branch	12-15-68	716	32	568			T	12-67		7-53		C	Oma	12-	14-67
115	RAD	F	Pool Hinkle-Spokane	1- 4-69	734	157	443			T	1-66		8-53		AXE	SL	1-	7-65
118	RAD	F	" Albina-Argo	11-13-68	595	260	340			T	11-64		8-53		A	168M Spo	5-	17-66
122	RAD	F	" Ayer-Spokane	9- 7-68	662	662	54			7	9-61		10-53		A	363M SL	9-	6-61
128 PP	RAD	F	" Ayer-Hinkle	8- 4-69	1021	2	598			T	7-62		10-53	6-65	A	380M SL	8-	31-66
129 PP (15)	RAD	FB	Hinkle-Walla Walla Br	10-30-68	1047	146	454			T	10-53		10-53	10-65	C	SL	10-	27-66
134	RAD	F	Pool Spokane-Eastport	3-28-69	824	214	386			T	10-58		2-54		AXE	Spo	7-	9-63
147	RAD	FL	Ayer Switcher	1- 6-69	815	267	333			T	2-54		2-54		AXE	Spo	10-	21-62
154	RAD	FL	Rupert-Minidoka Local	11- 7-68	952	244	356			T	2-54		2-54		C	SL	11-	5-63

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO OREGON DIVISION



Provided by  
www.uphs.org

Month Ending August 31, 19 68

7

(1) UNIT NUMBER <b>FREIGHT</b>	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED- MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
158	RAD	C	Work Nampa-Huntington	3-14-69	943	219	381			T	3-59		3-54		AXE	SL	10-	5-64
164	RAD	FL	Kellogg-Burke Switcher	10-18-68	999	151	49			8	5-64		3-54		CGXG	Oma	5-	8-64
166	RAD	S	Ogden	4- 3-69	1140	315	285			T	2-54		3-54		AXE	SL	10-	6-62
170	RAD	FL	Hunt-Gl Ferry Local	4-19-69	1110	267	333			T	4-63		3-54		C	Oma	4-	3-63
173	RAD	F	Pool Hinkle-Spokane	3-14-69	1083	228	672			T	11-65		3-54		AXE	SL	9-	17-63
174	RAD	S	Beatrice	7-19-69	1080	211	389			T	12-63		3-54		CG	Oma	12-	12-63
175	RAD	F	Pool Hinkle-Pocatello	11-29-68	1097	77	323			T	11-66		3-54		AXE	SL	11-	27-66
175B		F	Pocatello, Held RR	1-12-69	1315	396	204			T	8-62		3-54		C	SL	1-	31-63
176	RAD	FL	Huntington-Lime Sw.	2-19-69	1006	133	467			T	2-54		2-54		CG	Oma	8-	24-65
181	RAD	FL	Milton Swtcher	3-29-69	934	334	366			T	3-54		3-54		A	317M SL	3-	31-68
186B		F	Pool Albina-Argo	8- 2-69	1292	176	424			T	1-68		4-54		AXE	SL	8-	28-65
187	RAD	FL	Pocatello-Borah local	5-21-69	987	86	514			T	4-58		4-54		AXE	SL	11-	19-66
188B		FL	Ayer-Connell Local	10-13-68	1336	309	591			T	8-59		4-54		A	213M SL	4-	7-67
194	RAD	FL	Kellogg-Burke Switcher	9-20-68	1026	73	527			T	6-66		4-54		AXE	SL	9-	25-66
195B		FL	Pocatello-Borah Local	8- 8-69	1386	418	382			T	1-64		4-54		A	326M SL	8-	7-67
202	RAD	F	Pool Albina-Argo	6-2-69	1076	13	587			T	3-54		4-54		AXE	SL	6-	2-68
202B		F	Pool Hinkle-Spokane	5-28-69	1365	171	429			T	5-63		4-54		AXE	SL	4-	29-66
203	RAD	F	" " "	8- 3-69	936	222	378			T	8-63		4-54		AXE	Spo	9-	13-63

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO OREGON DIVISION

Provided by  
www.uphs.org



Month Ending August 31, 19 68

(1) UNIT NUMBER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED- MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
<b>FREIGHT</b>																		
251	RAD	FB	LaGrande-Joseph Branch	7-12-69	1043	184	420			T	7-63		8-54		CG	Oma	7-	21-63
253	RAD	FL	Montpel-Soda Springs loc	7-21-69	956	273	347			T	10-55		8-54		C	SL	6-	29-63
264 PP	RAD	FL	Shoshone-Ketchum Local	11-28-68	1047	245	355			T	11-62		8-54		C	Oma	11-	20-62
265 PP	RAD	F	Salt Lake, WAIT Cls AXE	9-27-68	998	35	563			AWS	9-67		8-54		CG	Oma	9-	27-67
266	RAD CCS	FL	Pocatello-GlennsFerry loc	3-22-69	1119	186	744			T	8-54		8-54		AXE	SL	6-	20-64
269	RAD	FL	Tacoma-Argo local	5-16-69	1054	176	723			T	9-54		9-54		C	SL	8-	21-64
277	RAD	FH	Nampa-Shoshone Hlpr	11-17-69	987	69	542			T	5-67		9-54		CG	SL	5-	9-67
279	RAD	F	Albina, Hold RR	8-11-69	1023	226	374			T	8-63		9-54		C	Oma	8-	15-63
285	RAD	F	Pool Ayer-Hinkle	5-10-69	1061	108	498			T	5-66		9-54		AXE	Oma	5-	13-66
289	RAD	F	Pool Hinkle-Pocatello	5-22-69	1037	218	682			T	4-54		9-54		C	SL	1-	17-64



SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO OREGON DIVISION

Provided by  
www.uphs.org



Month Ending August 31, 19 68

(1) UNIT NUMBER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
<u>FREIGHT</u>																		
305B		F	Pool Alb-Poca-Gr Riv	8- 1-69	1026	5	595			T	8-62	9-57		AXE	Oma	8- 2-68		
306	RAD	FL	Argo-Albina Local	5-24-69	827	200	400			T	11-63	7-57		AXE	Oma	11-18-63		
307	PP RAD	FB	The Dalles-Bend Br	4-19-69	1040	94	406			T	2-64	7-57		AXE	SL	2- 11-67		
310	PP RAD	F	Pocatello, Held AWS	12-19-68	932	137	463			<del>AWS</del>	5-64	7-57		C	Oma	12- 11-65		
310B		F	Pool Alb-Poca-Gr Riv	3- 6-69	1128	36	566			T	4-62	9-57	6-65	AXE	SL	3- 5-68		
311B		F	" " " " "	5-17-69	1027	256	344			T	12-65	9-57	1-65	CG	Oma	3- 8-65		
312	PP RAD	FB	Omaha, Held RR	9-18-68	871	186	414			T	7-57	7-57		C	Oma	9- 28-63		
318B		F	Spokane, Held RR	10-17-68	1074	270	330			T	10-64	9-57	10-64	CG	Oma	10-12-64		
319		FH	LaGrande Helper	2- 9-69	888	31	569			T	9-60	7-57		AXE	SL	3- 23-68		
320B		F	Pool Denver-No Platte	4-19-69	1133	198	404			T	3-66	9-57		AXE	Oma	3- 10-66		
323	RAD	S	Sydney	6- 5-69	915	526	74			8	9-57	9-57		B	300M Oma	8-28-63		
325B		F	Pool Alb-Poca-Gr Riv	10-23-68	1027	126	474			T	8-68	9-57	6-64	C	Oma	10-15-65		
329B		F	" " " " "	10-26-68	1092	280	320			T	10-64	9-57	10-64	CG	Oma	10- 6-64		
333	RAD	FL	Kennewick Switcher	2-23-69	816	24	576			T	9-57	9-57		C	SL	2-22-68		

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO OREGON DIVISION

Provided by  
www.ups.org



Month Ending August 31, 1968

(1) UNIT NUMBER <b>FREIGHT</b>	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED- MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
334	RAD	F	Pool Hinkle-Pocatello	3-21-69	805	121	479			T	3-66		9-57		C	Oma	3-	29-66
338 (47)	RAD	FB	Hinkle-WaWalla Branch	4-25-69	802	43	548			T	9-57		9-57		C	SL	10-	25-67
447	RAD CCS	F	No Platte, Held RR	7-31-69	556	152	448			T	7-66		8-61		C	Oma	7-	22-66
448 (2)	RAD CCS	F	Pocatello, Held RR	2-19-69	375	375	225			T	7-62		7-62		N	Oma	7-	31-62

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO OREGON DIVISION

Provided by  
www.uphs.org



Month Ending August 31, 1968

(1) UNIT NUMBER <b>FREIGHT</b>	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED- MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
503 PP	RAD	F	Held Omaha Unserviceable	12-8-68	949	299	383			AXE	12-64		5-58		C	Oma	12-	10-64
509B		F	Ogden, Held RR	6-20-69	987	288	312			T	3-63		6-58		AXE	Oma	8-	9-65
513		F	Pool Alb-Poca-Gr Riv	6-14-69	906	286	302			T	7-58		7-58		C	SL	11-	13-64
515	RAD	F	" Albina-Argo	6-10-69	898	292	308			T	9-54		8-58		C	SL	12-	19-64
517 PP	RAD	F	" Hinkle-Spokane	5-17-69	833	252	348			T	3-54		8-58		C	SL	11-	18-64
517B		F	" " "	6-26-69	884	270	330			T	7-65		8-58		C	Oma	7-	2-65
518 PP	RAD	F	Albina, Held RR	7-11-69	874	315	285			T	1-65		8-58		C	Oma	1-	21-65
520B		F	Pool Alb-Poca-Gr Riv	5-29-69	1026	347	253			T	7-60		8-58		C	SL	11-	15-64
522B		F	" Hinkle-Spokane	7-3-69	936	273	327			T	6-65		8-58		C	Oma	6-	12-65
527B		F	" " "	8-7-69	877	263	338			T	8-65		11-58		C	Oma	8-	14-65
531	RAD CCS	F	" Albina-Argo	6-17-69	901	363	237			T	6-64		10-58		C	Oma	6-	25-64
535	RAD	F	" Spokane-Eastport	7-19-69	891	262	338			T	7-65		12-58		C	Oma	7-	16-65
539 PP	RAD	F	" " "	6-22-69	941	208	392			T	6-66		9-58		C	Oma	6-	28-66
542B		F	" " "	7-17-69	884	193	407			T	7-66		10-58		C	Oma	7-	19-66

(14)

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO OREGON DIVISION

Provided by  
www.uphs.org



Month Ending August 31, 19 68

(1) UNIT NUMBER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED- MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
<b>FREIGHT</b>																		
820	RAD CCS	F	Pool Alb-Poca-Gr Riv	9-21-68	847	199	401			T	11-67		9-62		C	Oma	9-	9-66
821	RAD CCS	F	" " " "	5- 8-69	896	406	194			T	8-62		8-62		CG	Oma	8-	19-65
822	RAD CCS	F	" " " "(Argo)	8- 5-69	949	450	150			T-11	8-62		8-62		C	Oma	8-	16-65
823	RAD CCS	F	" " " "	8-10-69	877	393	207			T	8-65		8-62		CG	Oma	8-	9-65
824	RAD CCS	F	" " " "	2- 6-69	866	80	520			T	2-68		8-62		CG	Oma	2-	6-68
825	RAD CCS	F	Pool Og-GR-NP-CB&Q-Penn	7-20-69	907	11	589			T	7-68		8-62		CG		7-	20-68
826	RAD CCS	F	Pool Alb-Poca-Gr Riv	5-28-69	891	30	570			T	6-66		9-62		AXE	Alb	7-	3-68
827	RAD CCS	F	" " " " "	7-11-69	920	15	585			T	7-68		8-62		CG	Oma	7-	11-68
828	RAD CCS	F	No Platte, Held RR	12- 2-68	898	227	373			T	12-66		9-62		CG	Oma	12-	1-66
829	RAD CCS	F	Pool Alb-Poca-GRiv(Argo)	9- 2-68	913	251	349			T	8-66		9-62		CG	Oma	8-	30-66
830	RAD CCS	F	" " " "	6-25-69	894	232	368			T	12-66		9-62		CG	Oma	12-	21-66
831	RAD CCS	F	" " " "	6-28-69	894	161	439			T	6-67		9-62		CG	Oma	6-	26-67
832	RAD CCS	FH	LaGrande Helper	3-15-69	902	322	278			T	3-66		9-62		CG	Oma	3-	16-66
833	RAD CCS	F	Pool Alb-Poca-Gr Riv	7- 2-69	928	149	471			T	6-67		8-62		CG	Oma	6-	28-67
834	RAD CCS	F	" " " "	7-11-69	863	395	205			T	9-62		9-62		C	Oma	7-	8-65
835	RAD CCS	F	" " " "	3-18-69	889	337	263			T	3-66		9-62		CG	Oma	3-	10-66
836	RAD CCS	F	" " " "	4- 6-69	880	301	299			T	5-66		9-62		CG	Oma	5-	12-66
837	RAD CCS	F	" " " "	3-21-69	922	460	140			T-11	9-62		9-62		AXE	Oma	3-	17-64
838	RAD CCS	F	" " " "	5- 2-69	825	210	390			T	10-66		9-62		CG	Oma	10-	25-66

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO OREGON DIVISION

Provided by  
www.ups.org



Month Ending August 31, 19 68

(1) UNIT NUMBER <b>FREIGHT</b>	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED- MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
839	RAD CCS	F	Pool Alb-Poca-Gr Riv	7-17-69	883	247	353			T	7-66		9-62		CG	Oma	7-	14-66
840	RAD CCS	F	" Salina-K. City	7-30-69	899	262	338			T	7-66		9-62		CG	Oma	7-	29-66
841	RAD CCS	F	" Albina-Poca-Gr Riv	8-13-69	954	328	272			T	4-66		9-62		CG	Oma	4-	29-66
842	RAD CCS	F	" " " "	9- 7-68	874	221	379			T	9-66		9-62		CG	Oma	9-	1-66
843	RAD CCS	F	" " " "	3- 6-69	930	356	244			T	3-66		9-62		CG	Oma	3-	1-66
844	RAD CCS	F	" " " "	8- 1-69	880	243	357			T	7-66		9-62		CG	Oma	7-	27-66
845	RAD CCS	F	" " " "	5-12-69	887	212	388			T	11-66		9-62		CG	Oma	11-	30-66
846	RAD CCS	C	Work Larramie-Rawlins	DUE	901	268	357			T	8-66		9-62		CG	Oma	8-	28-66
847	RAD CCS	F	Pool Alb-Poca-Gr Riv	4-25-69	897	176	424			T	4-67		9-62		CG	Oma	4-	22-67
848	RAD CCS	F	" " " "	8- 4-69	904	289	311			T	8-66		9-62		CG	Oma	8-	3-66
849	RAD CCS	F	" " " "	7- 2-69	783	142	458			T	12-66		9-62		CG	Oma	12-	23-66
850	RAD CCS	F	" Denver-No Platte	3-30-69	859	313	287			T	4-66		9-62		CG	Oma	4-	21-66
851	RAD CCS	F	" Alb-Poca-GRiv(Argo)	5- 6-69	942	330	270			T	5-66		9-62		CG	Oma	5-	28-66
852	RAD CCS	F	" " " "	9-28-68	859	197	403			T	9-66		10-62		CG	Oma	9-	16-66
853	RAD CCS	F	" " " "	9- 1-68	888	123	477			T	9-67		10-62		CG	Oma	9-	1-67
854	RAD CCS	F	Pool OG-GR-NP-CB&Q-Penn	9-26-68	889	112	488			T	9-67		10-62		CG	Oma	9-	26-67
855	RAD CCS	F	Pool Alb-Poca-Gr Riv	10- 5-68	916	290	310			T	10-66		10-62		CG	Oma	10-	5-66
856	RAD CCS	F	" " " "	5- 6-69	880	173	427			T	4-67		10-62		CG	Oma	4-	26-67

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO OREGON DIVISION



Month Ending August 31, 19 68

14

(1) UNIT NUMBER <b>FREIGHT</b>	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
858	RAD CCS	F	Pool Alb-Poca-Gr Riv	4-17-69	904	441	159			10	7-65	10-62		CG	Oma	7-29-65		
859	RAD CCS	F	Pool OG-NP-CB&Q-Penn	6-10-69	874	279	321			T	10-62	10-62		C	Oma	6-7-66		
860	RAD CCS	F	No Platte, Held RR	5-2-69	867	287	313			T	5-66	10-62		C	Oma	5-27-66		
861	RAD CCS	F	Pool Alb-Poca-Gr Riv	10-9-68	897	387	228			T	5-67	10-62		C	Oma	10-1-65		
862	RAD CCS	F	" " " "	5-18-69	867	382	218			T	10-65	10-62		C	Oma	10-3-65		
863	RAD CCS	F	" " " "	10-11-68	964	445	155			10	9-62	10-62		C	Oma	10-9-65		
864	RAD CCS	F	" " " "	9-11-68	847	116	484			T	9-67	10-62		CG	Oma	9-11-67		
865	RAD CCS	FL	Denver-Bunell Local	9-6-68	917	291	309			T	9-66	10-62		C	Oma	9-7-66		
866	RAD CCS	F	Pocatello, Held RR	6-4-69	871	292	308			T	6-66	10-62		C	Oma	6-29-66		
867	RAD CCS	F	No Platte, Held RR	5-28-69	804	250	350			T	5-66	10-62		XC	Oma	5-26-66		
868	RAD CCS	F	Pool Alb-Poca-Gr Riv	11-27-68	854	197	403			T	10-62	10-62		C	Oma	11-25-66		
869	RAD CCS	F	Pool OG-GR-NP-CB&Q-Penn	DUE	834	245	355			T	8-66	10-62		C	Oma	8-12-66		
870	RAD CCS	FL	Denver-Ione Local	10-20-68	894	400	200			T	10-62	10-62		AXE	Oma	10-26-65		
871	RAD CCS	F	Pool Alb-Poca-Gr Riv	4-22-69	863	308	292			T	4-66	10-62		C	Oma	4-22-66		

(51)

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO OREGON DIVISION

Provided by  
www.uphs.org



Month Ending August 31, 19 68

15

(1) UNIT NUMBER <b>SWITCH</b>	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
1002	RAD	S	Spokane	4-18-69	777	113	4		4	3-48		3-48		AXE	Alb	4-29-59		
1003	RAD	S	Portland	4-23-69	1135	40	20		T	5-66		5-40		C	Spo	5-4-65		
1005	RAD	S	Hinkle	12-21-68	1131	62	10		9	7-63		6-40		C	Alb	7-25-63		
1013	RAD	S	Walla Walla	9-13-68	1137	24	36		T	9-66		11-51		C	Spo	9-15-66		
1014	RAD	S	Seattle	1-3-69	1131	92	4		4	3-61		8-40		C	Alb	1-2-61		
1015	RAD	S	Portland	11-6-68	1122	82	4		4	11-61		2-41		C	Alb	11-17-61		
1017	RAD	S	LaGrande	9-16-68	1063	12	48		T	4-57		2-41		C	Spo	9-18-67		
1022	RAD	S	Hinkle	2-3-69	1121	75	4		4	6-62		4-41		AXE	Alb	6-11-62		
1023	RAD	S	Seattle	6-21-69	1127	3	57		T	1-62		8-41		AXE	Alb	6-19-68		
1024	RAD	S	Portland	12-29-68	1161	58	14		T	1-64		4-41		C	Alb	1-17-64		
1030	RAD	S	Hinkle	7-18-69	1020	36	22		T	12-52		5-42		C	Alb	7-15-65		
1031	RAD	S	Portland	5-7-69	1081	69	4		4	12-62		6-42		C	Alb	12-14-62		
1032	RAD	S	Portland	3-11-69	1055	66	6		6	3-63		4-42		C	Alb	3-30-63		
1033	RAD	S	Seattle	8-7-69	1057	49	11		T	8-64		7-42		C	Alb	8-12-64		
1034	RAD	S	Portland	2-13-69	1078	114	4		4	7-42		7-42		C	Alb	3-20-59		
1042	RAD	S	Seattle	7-29-69	618	77	4		4	4-62		7-46		C	Alb	4-17-62		
1043	RAD	S	"	3-15-69	846	30	30		T	3-66		7-46		C	Spo	3-18-66		
1051	RAD	S	Spokane	3-8-69	752	54	6		6	4-56		2-47		C	Spo	3-4-64		







SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO OREGON DIVISION

Provided by  
www.uphs.org



Month Ending August 31, 19 68

(1) UNIT NUMBER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
<u>FREIGHT</u>																		
<u>UNION PACIFIC RAILROAD UNITS LEASED TO CAMAS PRAIRIE RAILROAD CO.</u>																		
						<u>MILES</u>												
245 PP	RAD	FB	Camas Prairie	6-17-69	616	52	554			T	4-54	4-54		C	SL	6- 9-67		
246 PP	RAD	FB	" "	4-11-69	592	15	591			T	6-54	6-54		C	SL	4- 10-68		
247	RAD	FB	" "	10-20-68	506	506	94			T	6-54	6-54		N		6- 14-54		
248	RAD	FB	" "	4- 4-69	502	14	586			T	4-68	6-54		C	SL	4- 3-68		
249	RAD	FB	" "	1- 31-69	603	17	583			T	1-68	4-54		CO	Oma	1- 31-68		
250	RAD	FB	" "	5- 21-69	1026	300	300			T	3-58	8-54		C	SL	12- 17-61		
<u>SWITCH</u>																		
						<u>MONTHS</u>												
1035	RAD	FB	" "	3-19-69	1027	55	5			5	1-64	7-42		C	Spo	1- 27-64		
1809	RAD	FB	" "	6-21-69	602	51	9			9	9-50	9-50		C	Spo	6- 15-64		
<u>FREIGHT</u>																		
<u>UNION PACIFIC RAILROAD UNITS LEASED TO SPOKANE INTERNATIONAL RAILROAD CO.</u>																		
						<u>MILES</u>												
102	RAD	FB	Spokane Internat'l	2- 3-69	691	97	503			T	9-54	2-53		C	SL	3- 2-66		
113 PP	RAD	FB	" Held	6- 5-69	732	102	498			T	8-53	8-53		C	SL	12- 10-65		
<u>SWITCH</u>																		
						<u>MONTHS</u>												
1004	RAD	FB	" "	3-13-69	1114	66	4			4	12-67	5-40		C	Spo	3- 22-63		



