

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO WYOMING DIVISION

Provided by
www.uphs.org



Month Ending August 31, 19 68

(1) UNIT NUMBER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES - NEW OR OVERHAULED - MILES (Thousands) EXCEPT YARD SWITCH - NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
5-5B	R CCS	F	Held Cheyenne	RR	Due	832	18038	6962	97664	T	5-61 12-58	12-61			2-T	SL	4-62	
6-6B	R-MJ-CCS	F	Pool-Ogden-CoBluffs		3-14-69	1062	27894	1920	97672	L	2-59 11-63	2-59			2-T	SL	2-62	
7-7B	R-MJ-CCS	F	Held CoBluffs	RR	8-24-69	869	20216	4784	97667	10	11-63 7-61	9-61			AXT	SL	12-62	
8-8B	R-MJ-CCS	F	Pool-Ogden-CoBluffs		7-11-69	951	8720	16280	976731	T	10-65 10-65	10-65			7	SL	8-65	
9-9B	R-MJ-CCS	F	CoBluffs	Std	6-25-69	916	24700	1920	97669	L	11-59 11-59	1-64 1-64			7	SL	7-62	
10-10B	R-MJ-CCS	F	Pool-Ogden-CoBluffs		8-18-69	956	21316	3684	97661	8	6-62 6-62	6-67 6-67			2-T	OM	8-63	
11-11-B	R-MJ-CCS	F	"		9-29-68	901	23367	1920	97666	L	12-59 12-59	8-65 8-65			7	SL	10-62	
12-12B	R-MJ-CCS	F	Held Cheyenne	RR	8- 5-69	907	16764	8238	97675	T	10-66 10-66	4-66 12-64			2-T	SL	5-64	
13-13B	R-MJ-CCS	F	Pool-Ogden-CoBluffs		7-30-69	860	17050	7950	97676	T	5-63 3-60	12-64 12-64			AXE	SL	7-68	
14-14B	R-MJ-CCS	F	Held Cheyenne	RR	11- 4-68	846	13009	11991	97674	T	4-60 4-60	4-60 4-60			2-T	SL	3-64	
15-15B	R- CCS	F	Pool-Ogden-CoBluffs		8- 4-69	714	28589	1520	127636	L	4-60 4-60	4-60 4-60			2	SL	11-67	
16-16B	R-MJ-CCS	F	Held Cheyenne	RR	5- 3-69	893	35954	1920	127637	L	6-60 6-60	6-60 6-60			N		6-60	
17-17B	R-MJ-CCS	F	Pool-Ogden-CoBluffs		7-22-69	893	19970	5030	127638	T	7-65 7-65	10-60 10-60			7	OM	6-63	
18-18B	R-MJ-CCS	F	Pool-Ogden-CoBluffs		5- 8-68	853	32496	1920	127639	L	8-60 4-67	8-60 8-60			N		8-60	
19-19B	R-MJ-CCS	F	"		6-18-69	802	903	25097	127641	T	10-60 10-60	10-60 10-60			2-T	SL	8-66	
20-20B	R-MJ-CCS	F	"		8-23-69	869	37799	1920	127640	L	5-67 5-67	9-60 9-60			N		9-60	
21-21B	R-MJ-CCS	F	Cheyenne	Std	8- 2-69	739	29063	1920	127642	L	10-60 10-60	10-60 10-60			N		11-60	

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO WYOMING DIVISION

Provided by
www.uphs.org



Month Ending August 31, 1968

(1) UNIT NUMBER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) TURBINES ENGINES-NEW OR OVERHAULED- MILES (Thousands)-EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
22-22B	R-MU-CCS	F	Held NoPlatte	RR	8-23-69	844	91261	5874	97662	T	11-60	3-62			7	OR	5-66	
23-23B	R-MU-CCS	F	Pool-Ogden-CoBluffs		7-19-69	772	303751	1920	127644	4	11-60	3-62			N		2-60	
24-24B	R-MU-CCS	F	Held Cheyenne	RR	7-19-69	654	258671	1920	127646	4	3-66	3-66			N		2-61	
25-25B	R-MU-CCS	F	Pool-Ogden-CoBluffs		10-21-68	708	27503	1920	127647	4	1-61	1-61			N		2-61	
26-26B	R-MU-CCS	F	"		4-30-69	887	35004	1920	127648	4	1-61	1-61			N		2-61	
27-27B	R-MU-CCS	F	Held Omaha	RR	10-14-68	772	28995	1920	127649	4	4-66	2-61			N		3-61	
28-28B	R-MU-CCS	F	Pool-Ogden-CoBluffs		11-18-68	755	29021	1920	127650	4	1-64	3-61			N		4-61	
29-29B	R-MU-CCS	F	Cheyenne	STD	Due	721	27231	1920	127651	4	4-61	4-61			N		5-61	
30-30B	R-MU-CCS	F	Pool-Ogden-CoBluffs		10-13-68	714	26258	2052	127652	5	9-65	7-64			N		7-61	
(26)																		
											SPARE POWER PLANT							
											97670 - Salt Lake		Total Hours Since Rebuilt - 14701					
											127645 - Salt Lake		Total Hours Since Rebuilt - 2105					

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO _____ DIVISION

Provided by
www.uphs.org



Month Ending August 31, 68 1968

(1) UNIT NUMBER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
<u>PREIGHT</u> 31	R-CCS	F	Pool-Og-CB-KC	4-18-69	645	373	227	300	300	T	1-66	9-63	9-63			AXE-1	OM	9-65
32	R-CCS	F	Held NoPlatte RR	5-22-69	606	218	382	606	84	6	9-63	9-63	9-63			AXE-2	OM	6-66
33	R-CCS	F	Pool-NP-OG-LA	12- 7-68	659	309	291	659	84	6	10-63	10-63	10-63			AXE-1	OM	10-66
34	R-CCS	F	Held Ogden RR	11-7-68	564	564	84	564	84	6	7-64	7-64	7-64			B-2 165m	OM	11-64
35	R-CCS	F	Pool-OG-CB-KC	9-21-68	544	271	329	245	355	T	7-64	7-64	7-64			AXE-1	OM	5-66
36	R-CCS	F	"	5-13-69	566	566	84	566	84	6	2-68	7-64	7-64			B-2 170m	OM	12-64
37	R-CCS	F	"	7-10-69	556	556	84	556	84	6	7-64	7-64	7-64			N	OM	7-64
38	R-CCS	F	Pool-NP-Og-LA	7-31-69	528	528	84	528	84	6	2-67	1-68	7-64			AXE-2	OM	6-66
39	R-CCS	F	Pool-OG-CB-KC	6-24-69	511	511	89	511	89	7	8-64	8-64	8-64			B-1&2 406m	OM	7-67
40	R-CCS	F	"	3- 7-69	535	535	84	535	84	6	8-65	8-64	8-64			N	OM	7-64
41	R-CCS	F	Held CoBluffs RR	2-26-69	535	535	84	535	84	6	3-67	8-64	8-64			A-1&2 254m	OM	6-66
42	R-CCS	F	Held Cheyenne RR	7-24-69	561	561	109	561	109	9	8-64	8-64	8-64			A-1&2 263m	OM	6-66
43	R-CCS	F	Held Co.Bluffs RR	10-10-68	493	347	253	193	407	T	6-65	8-64	8-64			A-1&2 345m	OM	2-67
44	R-CCS	F	Pool-Og-CB-KC	12- 5-68	520	520	107	520	107	8	9-64	9-64	9-64			B-1&2 470m	OM	1-68
45	R-CCS	F	Held CoBluffs RR	4- 2-69	531	531	139	531	139	11	9-64	9-64	9-64			A-1&2 176m	OM	9-66
46	R-CCS	F	Pool-Og-CB-KC	9- 5-68	420	420	180	420	180	T	5-65	5-65	5-65			B-1&2 265m	OM	9-67
47	R-CCS	F	Held CoBluffs RR	7-12-69	389	389	211	389	211	T	5-65	5-65	5-65			A-1&2 190m	OM	11-66
48	R-CCS	F	Shop Omaha B-1 AXE-2	7-11-69	375	-	-	-	-		6-65	6-65	6-65			A-1&2 373m	OM	7-68
49	R-CCS	F	Held CoBluffs RR	7-23-69	388	388	212	388	212	T	7-65	7-65	7-65			B-1&2 391m	OM	8-68
50	R-CCS	F	Pool-Og-CB-KC	8-20-69	395	395	205	395	205	T	7-65	11-66	7-65			N	OM	7-65
51	R-CCS	F	"	4- 8-69	414	414	186	414	186	T	7-65	7-65	7-65			Eng. Exc.	Erie	12-65
52	R-CCS	F	"	6- 8-69	370	339	261	339	261	T	7-65	7-65	7-65			A-1&2 155m	OM	11-66
53	R-CCS	F	"	5- 1-69	391	391	209	391	209	T	8-65	5-68	8-65					
(23) 60	R-CCS	F	Held CoBluffs RR	10-13-68	483	483	117	483	117	10	7-64	7-64	7-64			B-1&2 392m	OM	10-67
60E	R-CCS	F	Held CoBluffs RR	9-22-68	457	457	140	457	140	T	7-64	7-64	7-64			B-1&2 390m	OM	9-67
61 (3)	R-CCS	F	Held Ogden RR	6-22-69	468	468	132	468	132	11	7-64	7-64	7-64			b-1&2 344m	OM	5-67

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO WYOMING DIVISION

Month Ending August 31, -19 68

(1) UNIT NUMBER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
						<u>FREIGHT</u>												
70	R-CCS	F	Pool-Og-CB-KC	1-24-69	530	530	117	530	117	9	5-65	1-68	5-65			B-1&2 447m		1-68
71	R-CCS	F	Pool-Winter Jet-Provo	7-12-69	547	547	84	547	84	6	5-65	5-65	5-65			N		5-65
72	R-CCS	F	"	4-30-69	532	532	84	532	84	6	5-65	5-65	5-65			N		5-65
72B		F	Pool-Og-CB-KC	5- 3-69	681	51	549	173	427	T	8-67	8-67	6-64			AXE-1	OM	5-68
																AXE-2	OM	8-67
73	R-CCS	F	Held NoPlatte RR	11-13-68	509	509	91	509	91	7	5-65	5-65	5-65			N		5-65
73B		F	Pool-Og-CB-KC	11-14-68	697	697	84	697	84	6	6-64	6-64	6-64			A-1&2 565m	OM	11-67
74	R-CCS	F	"	5-22-69	525	525	84	525	84	6	5-65	5-65	5-65			N		5-65
74B		F	"	3- 9-69	713	713	125	64	536	9	3-68	3-68	5-64			B-1 638m	OM	3-68
																AXE-2	OM	4-68
75	R-CCS	F	"	4-24-69	516	516	149	52	548	11	5-65	4-68	5-65			B-1 465m	OM	4-68
																AXE-2	OM	4-68
75B		F	"	6-24-69	719	719	70	12	588	5	6-64	6-64	6-64			B-1 446m	OM	12-66
																AXE-2	OM	8-68
76	R-CCS	F	"	1-29-69	511	511	89	511	89	7	5-65	5-65	5-65			N		5-65
76B		F	"	6- 7-69	742	742	162	742	162	T	6-64	6-64	6-64			B1&2 704m	SL	6-68
77	R-CCS	F	Held Poca RR	4-25-69	508	508	92	508	92	7	6-65	6-65	6-65			N		6-65
77B		F	Held Ogden RR	10-17-68	708	142	358	209	391	T	6-64	6-64	6-64			AXE-1	OM	10-67
																AXE-2	OM	5-67
78	R-CCS	F	Pool-NP-GR-NWD	12- 9-68	506	100	500	91	509	T	6-65	6-65	6-65			AXE-1	OM	12-67
																AXE-2	OM	12-67
78B		F	Pool- Og-CB-KC	7- 5-69	690	690	70	690	70	5	6-64	6-64	6-64			A-1 537m	OM	9-67
																N		6-64
79	R-CCS	F	Pool-Winton Jet.-Provo	2-13-69	516	516	122	516	122	9	6-65	2-68	6-65			B1&2 438m	Om	2-68
79B		F	Pool-Og-CB-KC	7-27-69	702	702	70	702	70	5	6-64	6-64	6-64			B1&2 515m	Om	7-67
80	R-CCS	F	"	8- 6-69	495	495	105	495	105	8	6-65	6-65	6-65			N		6-65
80B		F	"	6-21-69	700	700	168	700	168	T	6-64	6-64	6-64			B1&2 668m	Om	6-68
81	R-CCS	F	Pool-Poca-Silver Bow	4-18-69	486	486	165	486	165	T	6-65	6-65	6-65			B1&2 451m	SL	4-68
81B		F	Pool-Og-CB-KC	4-16-69	720	720	70	720	70	5	6-64	6-64	6-64			N		6-64
82	R-CCS	F	Pool-Poca-Silver Bow	4-17-69	485	485	115	485	115	9	7-65	7-65	7-65			N		7-65
82B		F	Pool-Og-CB-KC	6-24-69	690	690	85	690	85	7	7-64	7-64	7-64			B-1&2 575m	Om	12-67
83	R-CCS	F	"	6-21-69	510	510	90	510	90	7	6-65	8-67	6-65			N		6-65
83B	R	F	"	3- 6-69	710	84	516	151	409	T	7-64	7-64	7-64			AXE-1	Om	3-68
																AXE-2	Om	7-67
84	R-CCS	F	"	6-19-69	532	532	84	532	84	6	6-65	6-65	6-65			N		6-65
84B		F	"	6- 4-69	706	706	100	706	100	8	1-68	1-68	7-64			B1&2 606m	Om	1-68

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO WYOMING DIVISION



Month Ending AUGUST 31, 19 68

5

(1) UNIT NUMBER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
85B		F	Pool-NP-Og-LA	4-11-69	704	704	70	704	70	5	11-67	7-64	7-64			N A-2 572m		7-64 10-67
86B		F	Pool-Og-CB-KC	6-25-69	718	718	70	718	70	5	7-64	7-64	7-64			N		7-64
87B		F	Pool-Og-CB-KC	7-27-69	713	713	70	331	269	5	7-64	7-64	7-64			N AXE-2	Om	7-64 8-66
88B		F	Shop-Salt Lake B1&2	6- 1-69	681	-	-	-	-		7-64	7-64	7-64			N		7-64
89B		F	Pool-NP-Og-LA	3-12-69	701	701	70	701	70	5	7-64	3-68	7-64			N		7-64
90B		F	Held No. Platte RR	12- 8-68	676	676	84	119	481	6	4-67	8-64	8-64			N AXE-2		8-64 12-67
91B		F	Pool-NP-Og-LA	8-31-69	681	681	199	681	199	T	8-64	8-64	8-64			B1&2 680m	Om	8-68
92B		F	"	6-12-67	631	631	95	631	95	7	12-67	8-64	8-64			B-1&2 526m	Om	2-67
93B		F	Co.Bluffs-Awtg.Shop RR	1-15-69	650	-	-	-	-		7-67	9-64	9-64			N		9-64
94B		F	Pool-Poca-Silver Bow	8-14-69	681	153	447	180	420	T	8-64	8-64	8-64			AXE-2 AXE-1	Om Om	10-67 10-67
95B		F	Pool-NP-Og-LA	5-20-69	659	659	153	659	153	11	9-64	9-64	9-64			B-1&2 612m	SL	5-68
96B		F	Pool-NP-GR-NWD	6-12-69	665	665	84	665	84	6	9-64	9-64	9-64			B-1&2 464m	Om	6-67
97B		F	Pool-NP-Og-LA	7-13-69	655	16	584	276	324	T	9-64	9-64	9-64			AXE-1 AXE-2	SL Om	7-68 10-66
98B (42)		F	Pool-NP-GR-NWD	9-25-68	640	640	84	640	84	6	6-65	9-64	9-64			N		9-64
131	R	FL	Kansas City-Loring	7- 4-69	829	79	521			T	7-66		2-54			CG	Om	7-66
132	R	F	Pool-Og-CB-KC	9-11-68	805	147	453			T	9-64		2-54			CG	Om	9-64
137	R-PP	FB	Valley-Central City	8-26-69	1,032	625	18			6	2-54		2-54			A-298m	SL	5-61
142	R	FL	The Dalles-Albina	6-27-69	1,124	308	292			T	2-63		2-54			C	SL	6-63
143	R	FB	LaGrande-Joseph	1-22-69	987	290	310			T	2-54		2-54			AXE	SL	7-63
144	R	S	Valley-Fremont	9-17-68	934	283	317			T	2-63		2-54			CG	Om	2-63
152	R	S	Kansas City	5-20-69	973	186	414			T	2-67		2-54			AXE	SL	8-65
163	R	F	Held-Salina RR	12- 2-68	972	23	577			T	12-67		3-54			CG	Om	2-67
166B		FL	Gr.River-West Vaco	7- 2-69	1,369	396	204			T	6-63		3-54			B-134m	SL	5-65
168	R	S	Weco	8- 7-69	1,034	22	578			T	11-64		3-54			C	Om	8-67
172	R	F	Held-Gr.River RR	4-16-69	1,038	11	589			T	4-68		3-54			CG	Om	4-68
178B		FL	Gr.River-West Vaco	6-19-69	1,399	320	280			T	6-62		3-54			AXE	SL	10-64
183	R	FB	Ogden-Park City	9-19-68	938	584	18			6	4-54		4-54			A-369m	SL	1-64
189	R	FB	LaSalle-Greelley	10- 9-68	1,066	84	516			T	11-65		4-54			AXE	SL	10-66
191	R	F	Pool-Poca-G.R.-Albina	5-14-69	1,128	91	509			T	4-62		4-54			C	SL	2-67

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO WYOMING DIVISION



Month Ending AUGUST 31, 19 68

(1) UNIT NUMBER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
FREIGHT																		
205	R-PP	S	Ogden -(OUR&D)	7-11-69	786	5	595			T	1-54		1-54			CG	Om	7-68
206	R-PP	FL	Gr.River-West Vaco	3-15-69	825	474	126			T	2-67		1-54			AXE	SL	3-62
210	R	S	Co.Bluffs	8-30-69	696	257	343			T	1-54		1-54			AXE	Poca	10-62
211	R-PP	S	Denver	9-18-68	785	180	420			T	11-60		1-54			C	SL	6-65
212	R-PP	S	Held-Pocatello RR	4-30-69	687	139	461			T	12-62		1-54			C	SL	11-65
214	R	FL	Idaho Falls-Pocatello	7-31-69	760	200	400			T	6-67		1-54			AXE	Spe	1-64
215	R	FH	Pocatello-Lima	9-19-68	716	136	464			T	1-54		1-54			AXE	SL	9-65
216	R	S	Omaha	2-19-69	811	526	74			T	1-54		1-54			A - 346m	SL	2-64
219	R	F	Pool-Og-CE -KC	7-25-68	864	212	388			T	4-55		1-54			AXE	SL	7-64
221	R	F	"	9-13-68	764	452	148			T	1-54		1-54			B-255m	Poca	9-64
229	R	FL	Gr.River-West Vaco	2-16-69	865	154	446			T	9-61		1-54			C	SL	2-68
230	R	FB	Marysville-Blue Rapids	4-17-69	816	40	560			T	1-54		1-54			C	SL	10-67
231	R	FL	Gr.Island-Odessa	12-14-68	813	522	78			T	1-54		1-54			B 430m	SL	6-66
232	R	S	North Platte	3-15-69	846	526	74			T	8-58		1-54			B- 438m	SL	8-65
233	R	FB	Ogden-Malad	4- 9-69	703	240	360			T	7-57		1-54			AXE	ALB	1-63
234	R-C S	FH	Pocatello-Lima	10- 6-68	768	325	275			T	12-66		1-54			AXE	SL	10-60
241	R	FB	Columbus-Spaulding	2-29-69	831	197	403			T	12-61		2-54			CG	Om	8-68
244	R	S	Cozad	10-13-68	793	91	509			T	1-63		2-54			AXE	SL	10-66
257	R	S	Omaha	10-25-68	1,015	38	562			T	10-67		8-54			AXE	Om	10-67
271	R	FL	Co.Bluffs-Gr.Island	12- 9-68	1,053	34	566			T	12-67		9-54			CG	Om	12-67
284	R	FL	Gr.Island-Odessa	4- 8 -69	1,073	288	312			T	11-62		9-54			AXE	Om	1-68
298	R-CCS	FB	Cheyenne-Yoder	11- 6-68	1,047	291	309			T	11-65		9-54	12-64		CG	Om	11-65
299	R-CCS-MU	F	Cheyenne-STD	4- 8-69	975	188	412			T	10-62		9-54	4-65		AXE	Om	4-65
317	R	FB	Gr.Island-Ord	8-10-69	916	18	582			T	5-65		7-57			AXE	Om	2-68
329	R	F	Pool-Spokane-Hinkle	3- 4-69	938	155	445			T	12-64		9-57			AXE	Om	12-64
(40)																		
401	R-CCS	S	Ogden (OUR&D)	8- 6-69	738	55	545			T	8-67		7-59			AXE	Om	8-67
402	R-CCS	S	Ogden (OUR&D)	1-17-69	746	385	215			T	10-66		7-59			AXE	Om	1-62
445	R-CCS-MU	FB	Ogden-Woods Cross	1- 8-69	494	155	445			T	8-61		8-61			AXE	Om	4-65
446	R-CCS	F	Pool-Og-SL-LA	7-18-69	478	6	584			T	7-68		8-61			CG	Om	7-68
(4)																		
454	R	S	No.Platte	11- 5-68	1,053	431	169			T	6-53		6-53			A-350m	SL	3-67
456	R	S	No.Platte	8-31-69	1,062	322	278			T	6-53		6-53			A-257m	SL	6-67
457	R-PP	F	Held-Cheyenne RR	10- 2-68	470	29	571			T	10-67		6-53			CG	Om	10-67
458	R	S	No.Platte	8-20-69	1,078	129	471			T	6-53		6-53	5-66		C	SL	10-66
459	R	S	Held-No.Platte RR	8- 2-69	1,085	136	464			T	6-53		6-53	7-63		AXE	SL	8-66

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO WYOMING DIVISION



Month Ending AUGUST 31 19 68

7

(1) UNIT NUMBER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
FREIGHT																		
700	R-CCS	F	Pool-Og-GB-KC	5-10-69	770	265	335			T	7-66		2-63			CG	Om	7-66
700B		F	Held-Denver RR	2-17-69	805	500	100			9	4-63		4-63			AXE	Om	2-65
701	R-CCS	F	Pool-Og-NP-CBQ-PENN	2-20-69	789	79	511			T	2-68		2-63			CG	Om	2-68
701B		F	Pool-Og-GB-KC	10-14-68	793	278	322			T	10-66		5-63			CG	Om	10-66
702	R-CCS	F	"	1-20-69	795	201	399			T	1-67		2-63			CG	Om	1-67
702B		F	Pool-Og-NP-CBQ-PENN	11-8-68	770	248	352			T	2-63		2-63			CG	Om	11-66
703	R-CCS	F	Pool-NP-GR-N WD	4-16-69	803	188	412			T	4-67		2-63			CG	Om	4-67
703B		F	Pool-Og-GB-KC	8-17-69	791	163	437			T	8-67		4-63			CG	Om	8-67
704	R-CCS	F	"	4-29-69	810	10	590			T	2-63		2-63			CG	Om	8-68
704B		F	"	2-13-69	824	218	382			T	2-67		5-63			CG	Om	2-67
705	R-CCS	F	"	3-3-69	790	202	398			T	3-67		2-63			CG	Om	3-67
705B		F	"	8-13-69	745	242	358			T	5-63		5-63			C	Om	9-66
706	R-CCS	F	Pool-NP-GR-NWD	5-8-69	784	167	433			T	5-67		3-63			CG	Om	5-67
706B		F	"	4-11-69	808	210	390			T	5-67		5-63			CG	Om	4-67
707	R-CCS	F	Held-No. Platte RR	3-2-69	818	224	376			T	3-67		3-63			CG	Om	3-67
707B		F	Pool-NP-GR-NWD	6-22-69	811	183	417			T	6-67		5-63			CG	Om	6-67
708	R-CCS	F	Pool-Og-GB-KC	1-27-69	776	206	194			T	1-67		3-63			CG	Om	1-67
708B		F	Pool-NP-GR-NWD	3-18-69	767	182	418			T	3-67		5-63			CG	Om	3-67
709	R-CCS	F	Pool-Og-GB-KC	11-3-68	805	370	230			T	3-63		3-63			AXE	SL	9-66
709B		F	Held-No. Platte RR	8-12-69	691	204	396			T	8-66		5-63			CG	Om	8-66
710	R-CCS	F	Pool-Og-GB-KC	7-8-69	844	332	268			T	7-66		3-63			CG	Om	7-66
710B		F	Pool-NP-GR-NWD	10-19-68	822	128	472			T	10-67		5-63			AXE	Om	10-67
711	R-CCS	F	"	1-26-69	762	762	60			5	3-63		3-63			N		3-63
711B		F	"	2-6-69	810	260	340			T	2-67		5-63			CG	Om	2-67
712	R-CCS	F	Pool-Og-GB-KC	8-13-69	820	242	358			T	1-67		3-63			CG	Om	3-67
712B		F	"	12-8-68	807	257	343			T	12-66		5-63			CG	Om	12-66
713	R-CCS	F	"	3-4-69	825	225	375			T	3-67		3-63			CG	Om	3-67
713B		F	Pool-Og-NP-CBQ-PENN	4-15-69	780	211	389			T	4-67		5-63			CG	Om	4-67
714	R-CCS	F	Pool-NP-GR-NWD	2-12-69	799	472	128			T	3-63		3-63			AXE	Om	5-65
714B		F	"	4-4-69	804	68	532			T	4-68		5-63			CG	Om	4-68
715	R-CCS	C	Cheyenne-Granite	1-7-69	809	245	355			T	1-67		3-63			CG	Om	1-67
715B		F	Pool-Og-GB-KC	12-15-68	765	94	506			T	12-67		5-63			C		12-67
716	R-CCS	F	Pool-NP-GR-NWD	2-2-69	789	789	60			5	3-63		3-63			N		3-63
716B		F	Pool-Og-GB-KC	5-5-69	782	52	548			T	5-68		5-63			CG	Om	5-68
717	R-CCS	F	Pool-NP-Og-LA	6-24-69	772	204	396			T	12-66		3-63			CG	Om	12-66
717B		F	Held-Ogden RR	5-15-69	782	95	505			T	1-68		6-63			CG	Om	1-68

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO WISCONSIN DIVISION

Month Ending AUGUST 31, 19 68

(1) UNIT NUMBER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
FREIGHT																		
718	R-CCS	F	Pool-Og-CB -KC	3-10-69	833	386	214			T	3-63		3-63			C	Om	3-66
718B		F	Pool-NP-GR-NWD	7- 4-69	771	187	413			T	7-67		6-63			AXE	Om	7-67
719	R-CCS	F	"	3-20-69	783	58	542			T	3-68		3-63			CG	Om	3-68
719B		F	"	6-22-69	758	172	428			T	6-67		6-67			CG	Om	6-67
720	R-CCS	F	Held-No. Platte RR	3-25-69	792	204	396			T	3-67		3-63			CG	Om	3-67
720B		F	Pool-Og-CB-KC	6- 7-69	746	35	565			T	6-68		6-63			CG	Om	6-68
721	R-CCS	F	"	3-18-69	770	189	411			T	3-67		3-63			CG	Om	3-67
721B		F	"	9- 7-68	801	161	439			T	9-67		6-63			CG	Om	9-67
722	R-CCS	F	Pool-NP-GR-NWD	8-19-69	792	284	316			T	3-63		3-63			C	Om	8-66
722B		C	Cheyenne-Granite	2- 7-69	775	220	380			T	2-67		6-63			CG	Om	2-67
723	R-CCS	F	Pool-Og-CB -KC	3-14-69	822	208	392			T	3-67		4-63			CG	Om	3-67
723B		F	"	2-13-69	793	242	358			T	2-67		6-63			CG	Om	2-67
724	R-CCS	F	Pool-NP-GR-NWD	8-25-69	771	134	466			T	8-67		3-63			CG	Om	8-67
724B		F	Pool-Og-CB-KC	7- 3-69	742	323	277			T	5-67		6-63			AXE	SL	3-63
725	R-CCS	F	"	1-12-69	797	238	382			T	9-66		4-63			CG	Om	1-67
725B		F	Pool-NP-GR-NWD	5- 2-69	769	171	429			T	11-67		6-63			CG	Om	5-67
726	R-CCS	F	"	7- 5-69	792	169	431			T	7-67		4-63			CG	Om	7-67
726B		F	Pool-Og-NP-CBQ-PENN	3-28-69	767	212	388			T	4-67		5-63			CG	Om	4-67
727	R-CCS	F	Held-LaGrande RR	7-23-69	786	165	435			T	7-67		4-63			C	Om	7-67
727B		F	Pool-Og-CB-KC	7-20-69	774	175	425			T	7-67		7-63	7-63		CG	Om	7-67
728	R-CCS	F	Pool-NP-GR-NWD	8- 8-69	747	150	450			T	8-67		4-63			CG	Om	8-67
728B		F	"	3- 1-69	759	77	523			T	11-67		7-63	7-63		C	Om	3-68
729	R-CCS	F	Pool-Og-CB-KC	2-27-69	786	431	169			T	2-68		5-63			CG	Om	2-68
729B		F	"	2- 9-69	773	88	512			T	2-68		7-63	7-63		CG	Om	2-68
730	R-CCS	C	Cheyenne-Granite	4-10-69	808	200	400			T	9-67		4-63			CG	Om	4-67
730B		F	Held-Salt Lake RR	8-27-69	756	189	411			T	5-67		7-63	7-63		CG	Om	8-68
731	R-CCS	F	Pool-Og-CB-KC	8-28-69	788	6	594			T	8-66		4-63			CG	Om	8-68
731B		F	"	2- 5-69	797	89	511			T	2-68		7-63	7-63		CG	Om	2-68
732	R-CCS	F	"	2-15-69	844	74	526			T	2-68		4-63			CG	Om	2-68
732B		F	Pool-NP-GR-NWD	5- 2-69	750	34	566			T	5-68		6-63	4-66		CG	Om	5-68
733	R-CCS	F	"	3-11-69	761	65	535			T	3-68		4-63	CG		Om	Om	3-68
733B		F	Pool-Og-NP-CBQ-PENN	7-12-69	751	751	60			S	7-63		7-63	7-63		N		7-63
734	R-CCS	F	Pool-NP-GR-NWD	4-26-69	770	314	286			T	5-68		4-63			AXE	Om	4-66
734B		F	Pool-Og-CB-KC	8-30-68	748	154	446			T	8-67		7-63	7-83		CG	Om	8-67
735	R-CCS	F	Pool-NP-GR-NWD	3-20-69	763	419	181			T	4-66		6-63			AXE	Om	10-65

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO _____ DIVISION

Month Ending _____ 19 _____

WYOMING

(1) UNIT NUMBER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ^(2007 31) ENGINES - NEW OR OVERHAULED - MILES (Thousands) EXCEPT YARD SWITCH - NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) ⁶⁸ MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
FREIGHT																		
735B		F	Pool-NP-GR-NWD	8-21-69	687	5	595		T	7-63		7-63	7-63		CG	Om	8-68	
736B		F	"	10-23-68	770	133	467		T	10-67		7-63	7-63		CG	Om	10-67	
737B		F	Pool-Og-CB-KC	1-16-69	744	99	501		T	1-68		7-63	7-63		CG	Om	1-68	
738B		F	"	1-19-69	759	101	499		T	7-63		7-63	7-63		AXE	Om	12-67	
739B (76)		F	Pool-NP-GR-NWD	2-20-69	734	209	391		T	2-67		7-63	7-63		CG	Om	2-67	
740	R-CCS	F	Pool-Og-CB-KC	8-29-69	657	1	599		T	5-64		5-64			CG	Om	8-68	
741	R-CCS	F	Pool-NP-GR-NWD	5-23-69	682	37	463		T	5-68		5-64			CG	Om	5-68	
742	R-CCS	F	Pool-NP-KC-SLSF	10-19-68	658	117	483		T	10-67		5-64			C	Om	11-67	
743	R-CCS	F	Pool-NP-GR-NWD	5-2-69	644	213	387		T	5-67		5-64			CG	Om	5-67	
744	R-CCS	F	"	2-8-69	688	97	503		T	2-68		5-64			CG	Om	2-68	
745	R-CCS	F	Shop-Omaha	CG 11-27-68	648	-	-		T	5-64		5-64			N	Om	5-64	
746	R-CCS	FH	LaGrande	6-11-69	693	350	250		T	5-64		5-64			AXE	Om	6-66	
747	R-CCS	F	Pool-Og-CB-KC	5-16-69	650	41	559		T	5-68		5-64			CG	Om	5-68	
748	R-CCS	F	"	6-30-69	662	255	345		T	1-67		6-64			CG	Om	1-67	
749	R-CCS	F	Pool-Og-NP-CBQ-PENH	7-20-69	657	657	178		T	12-66		6-64			B - 635m	SL	7-68	
750	R-CCS	FL	Cheyenne-Denver	4-30-69	645	645	151		T	4-68		6-64			B - 596m	Om	4-68	
751	R-CCS	F	Pool-NP-KC-SLSF	4-6-69	635	67	533		T	4-68		6-64			CG	Om	4-68	
752	R-CCS	F	Pool-Og-CB-KC	11-16-68	647	124	486		T	11-67		6-64			C	Om	11-67	
753	R-CCS	F	"	5-24-69	630	630	60		T	6-64		6-64			N	Om	6-64	
754	R-CCS	F	Pool-NP-KC-SLSF	5-28-69	635	11	589		T	6-64		6-64			B 631m	SL	8-68	
755	R-CCS	F	"	6-11-69	657	657	60		T	6-64		6-64			N	Om	6-64	
756	R-CCS	F	Pool-Og-CB-KC	6-27-69	647	647	60		T	7-64		7-65			N	Om	7-64	
757	R-CCS	F	Pool-NP-GR-NWD	4-24-69	635	352	248		T	4-65		7-64			AXE	Om	4-66	
758	R-CCS	F	Pool-Og-CB-KC	10-6-68	681	146	454		T	10-67		7-64			CG	Om	10-67	
759	R-CCS	F	Pool-NP-KC-SLSF	1-4-69	645	645	60		T	2-67		7-64			N	Om	7-66	
760	R-CCS	F	Pool-Og-CB-KC	8-15-69	646	172	428		T	7-67		7-64			CG	Om	7-67	
761	R-CCS	F	Pool-NP-KC-SLSF	4-19-69	640	54	546		T	4-68		7-64			AXE	Om	4-68	
762	R-CCS	F	"	5-2-69	636	636	60		T	5-64		5-64			N	Om	5-64	
763 (24)	R-CCS	F	"	9-10-68	621	283	317		T	3-67		5-64			CG	Om	9-66	
872	R-CCS	F	Pool-NP-GR-NWD	3-21-69	910	293	307		T	6-66		10-62			AXE	Om	6-66	
873	R-CCS	F	Pool-Og-CB-KC	9-19-68	854	241	359		T	9-66		10-62			C	Om	9-66	
874	R-CCS	FH	LaGrande	10-11-68	868	868	60		T	10-62		10-62			N	Om	10-62	
875 (4)	R-CCS	F	Pool-Og-CB-KC	2-7-69	920	343	257		T	2-66		7-61			C	Om	2-66	

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO _____ DIVISION

WYOMING



Month Ending AUGUST 31, 1968

(1) UNIT NUMBER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
FREIGHT																		
3000	R-CCS	F	Pool-Og-GB-KC	3-17-69	446	446	154		11	3-66		3-66						3-66
3001	R-CCS	F	"	3-17-69	475	475	125		9	3-66		3-66						3-66
3002	R-CCS	F	Pool-NP-Og-LA	3-15-69	328	328	272		7	3-66		3-66						3-66
3003	R-CCS	F	"	3-17-69	448	448	152		11	3-66		3-66						3-66
3004	R-CCS	F	Pool-Og-GB-KC	3-20-69	435	435	165		11	3-66		3-66						3-66
3005	R-CCS	F	Pool-NP-GR-NWD	3-25-69	466	466	134		9	3-66		3-66						3-66
3006	R-CCS	F	Pool-Og-GB-KC	4-3-69	419	419	181		7	3-66		3-66						3-66
3007	R-CCS	F	Pool-NP-GR-NWD	1-16-69	453	453	147		10	3-66		3-66						3-66
3008	R-CCS	F	Pool-NP-Og-SP	3-10-69	472	472	228		9	3-66		3-66						3-66
3009	R-CCS	F	"	3-17-69	463	463	187		10	3-66		3-66						3-66
3010	R-CCS	F	Pool-NP-Og-LA	3-25-69	445	445	155		11	3-66		3-66						3-66
3011	R-CCS	F	Pool-NP-GR-NWD	1-24-69	414	107	493		7	3-66		3-66						3-66
3012	R-CCS	F	Pool-Og-GB-KC	9-30-68	454	454	146		10	3-66		3-66						3-66
3013	R-CCS	F	"	1-24-69	448	448	152		11	3-66		3-66						3-66
3014	R-CCS	F	Pool-NP-GR-NWD	3-20-69	469	469	131		9	3-66		3-66						3-66
3015	R-CCS	F	Pool-Og-GB-KC	1-4-69	470	470	130		9	3-66		3-66						3-66
3016	R-CCS	F	"	3-28-69	454	454	146		10	3-66		3-66						3-66
3017	R-CCS	F	"	12-23-68	467	467	133		9	3-66		3-66						3-66
3018	R-CCS	F	"	2-26-69	459	459	141		10	3-66		3-66						3-66
3019	R-CCS	F	Pool-NP-Og-LA	7-11-69	421	21	579		7	3-66		3-66						7-68
3020	R-CCS	F	Pool-NP-GR-NWD	3-20-69	437	437	163		11	3-66		3-66						3-66
3021	R-CCS	F	Pool-Og-GB-KC	1-31-69	435	435	165		11	3-66		3-66						3-66
3022	R-CCS	F	Pool-NP-GR-NWD	12-19-68	457	457	143		10	3-66		3-66						3-66
3023	R-CCS	F	Pool-Og-GB-KC	7-2-69	429	429	171		7	3-66		3-66						3-66
3024	R-CCS	F	"	1-23-69	446	446	154		11	3-66		3-66						3-66
3025	R-CCS	F	"	1-22-69	468	468	132		9	3-66		3-66						3-66
3026	R-CCS	F	"	2-24-69	461	461	139		10	3-66		3-66						3-66
3027	R-CCS	F	"	12-30-68	449	449	151		11	3-66		3-66						3-66
3028	R-CCS	F	Pool-NP-Og-SP	2-13-69	440	440	160		11	4-66		3-66						4-66
3029	R-CCS	F	Pool-Og-GB-KC	3-26-69	475	475	125		9	4-66		4-66						4-66
3030	R-CCS	F	Pool-NP-Og-LA	3-26-69	475	475	125		9	4-66		3-66						4-66
3031	R-CCS	F	Pool-NP-Og-SP	3-25-69	465	465	135		9	4-66		3-66						4-66
3032	R-CCS	F	Pool-NP-Og-LA	4-10-69	457	457	143		10	4-66		3-66						4-66
3033	R-CCS	F	Pool-NP-GR-NWD	3-27-69	450	450	150		10	4-66		3-66						4-66
3034	R-CCS	F	H old-Salt Lake	2-22-69	459	459	141		10	4-66		3-66						4-66
3035	R-CCS	F	Pool-Og-GB-KC	3-27-69	439	439	161		11	4-66		3-66						4-66
3036	R-CCS	F	"	3-15-69	474	474	126		9	4-66		4-66						4-66

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO WYOMING DIVISION

Provided by
www.uphs.org



Month Ending AUGUST 31 19 68

(1) UNIT NUMBER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING			
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE	
3037	R-CCS	F	Pool-NP-GR-NWD	4- 5-69	450	450	150			10	4-66		4-66			N		4-66	
3038	R-CCS	F	Pool-Og-CB-KC	3-31-69	452	452	148			10	4-66		4-66			N		4-66	
3039	R-CCS	F	Pool-NP-Og-SP	5-23-69	440	415	185			T	4-66		4-66			AXE	On	5-66	
3040	R-CCS	F	Pool-Og-CB-KC	1-16-69	412	412	188			T	6-66		6-66			A	38m	On	6-66
3041	R-CCS	F	Held-Salt Lake RR	3- 5-69	379	92	508			T	3-66		3-66			AXE	On	3-68	
3042	R-CCS	F	Pool-Og-CB-KC	3-29-69	447	447	153			11	4-66		4-66			N		4-66	
3043	R-CCS	F	"	3- 2-69	431	431	169			T	4-66		4-66			N		4-66	
3044	R-CCS	F	Pool-NP-Og-SP	2- 3-69	415	415	185			T	3-66		3-66			B	308m	On	2-68
3045	R-CCS	F	Pool-Og-CB-KC	6-21-69	438	438	162			11	3-66		3-66			N		3-66	
3046	R-CCS	F	Pool-NP-GR-NWD	5-15-69	401	401	199			T	3-66		3-66			AXE	On	5-68	
3047	R-CCS	F	Pool-Og-CB-KC	9-28-68	417	417	183			T	1-67		3-66			AXE	On	9-67	
3048	R-CCS	F	"	8- 1-69	339	15	585			T	10-66		10-66			AXE	On	8-68	
3049	R-CCS	F	Pool-NP-GR-NWD	10- 9-68	355	355	245			T	10-66		10-66			N		10-66	
3050	R-CCS	F	Pool-Og-CB-KC	2- 7-69	343	114	486			T	10-66		10-66			AXE	On	2-68	
3051	R-CCS	F	Pool-NP-GR-NWD	10-17-68	344	344	256			T	10-66		10-66			N		10-66	
3052	R-CCS	F	Pool-Og-CB-KC	10- 9-68	359	359	241			T	10-66		10-66			N		10-66	
3053	R-CCS	F	"	4- 9-69	344	344	256			T	10-66		10-66			N		10-66	
3054	R-CCS	F	Pool-NP-Og-SP	7-16-69	358	358	242			T	10-66		10-66			N		10-66	
3055	R-CCS	F	Pool-NP-Og-LA	4-12-69	354	354	246			T	10-66		10-66			N		10-66	
3056	R-CCS	F	Pool-Og-CB-KC	10- 9-68	350	350	250			T	10-66		10-66			N		10-66	
3057	R-CCS	F	Pool-NP-Og-SP	10-10-68	346	346	254			T	10-66		10-66			N		10-66	
3058	R-CCS	F	"	10-18-68	337	337	263			T	10-66		10-66			N		10-66	
3059	R-CCS	F	Pool-Og-CB-KC	10-26-68	355	355	245			T	10-66		10-66			N		10-66	
3060	R-CCS	F	Pool-NP-Og-LA	3-16-69	330	84	516			T	10-66		10-66			AXE	On	3-68	
3061	R-CCS	F	Pool-Og-NP-CBQ-PENN	2-15-69	333	101	499			T	10-66		10-66			AXE	On	2-68	
3062	R-CCS	F	Pool-NP-GR-NWD	10-24-68	323	323	277			T	10-66		10-66			N		11-66	
3063	R-CCS	F	Pool-NP-Og-LA	5- 8-69	346	346	254			T	10-66		10-66			N		11-66	
3064	R-CCS	F	Pool-Og-CB-KC	10-25-68	349	349	251			T	10-66		10-66			N		12-66	
3065	R-CCS	F	"	10-11-68	308	308	292			T	10-66		10-66			N		12-66	
3066	R-CCS	F	"	10-28-68	340	340	260			T	10-66		10-66			N		11-66	
3067	R-CCS	F	"	5-11-69	334	334	266			T	11-66		11-66			N		11-66	
3068	R-CCS	F	"	11-20-68	327	327	273			T	11-66		11-66			N		11-66	
3069	R-CCS	F	"	11-27-68	328	328	272			T	11-66		11-66			N		12-66	
3070	R-CCS-	F	Pool-NP-Og-SP	11-29-68	327	327	273			T	11-66		11-66			N		12-66	
3071	R-CCS	F	Pool-Og-CB-KC	12- 8-68	319	319	281			T	12-66		12-66			N		12-66	
3072	R-CCS	F	Held-Ogden RR	12- 7-68	314	314	286			T	12-66		12-66			N		12-66	
3073	R-CCS	F	Pool-Og-CB-KC	12- 6-68	315	315	285			T	12-66		12-66			N		12-66	

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO WYOMING DIVISION



Month Ending AUGUST 31, 19 68

(1) UNIT NUMBER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
<u>PREIGHT</u>																		
3074	R-CCS	F	Pool-Og-GB-KC	12-11-68	317	317	283			T	12-66		12-66			N		12-66
3075	R-CCS	F	Pool-NP-GR-NWD	12-11-68	322	322	278			T	12-66		12-66			N		12-66
3076	R-CCS	F	Pool-Og-GB-KC	12-15-68	316	316	284			T	12-66		12-66			N		12-66
3077	R-CCS	F	Pool-NP-GR-NWD	6-20-69	310	310	290			T	12-66		12-66			N		12-66
3078	R-CCS	F	Pool-Og-GB-KC	12-21-68	308	308	292			T	12-66		12-66			N		12-66
3079	R-CCS	F	Held-Ogden	6-25-69	290	290	310			T	12-66		12-66		RR	N		12-66
3080	R-CCS	F	Pool-Og-GB-KC	12-27-68	318	318	282			T	12-66		12-66			N		12-66
3081	R-CCS	F	Pool-NP-Og-LA	12-29-68	305	305	295			T	12-66		12-66			N		12-66
3082	R-CCS	F	"	12-9-68	297	140	460			T	12-66		12-66			AXE	On	12-67
(83)																		
3600	R-CCS	F	Held-Omaha	3-8-69	86	86	514			T	3-68		3-68			N		3-68
3601	R-CCS	F	Held-Omaha	3-11-69	94	94	506			T	3-68		3-68		RR	N		3-68
3602	R-CCS	F	Pool-NP-GR-NWD	3-19-69	83	83	517			T	3-68		3-68			N		3-68
3603	R-CCS	F	Pool-NP-Og-LA	6-28-69	86	86	514			T	3-68		3-68			N		3-68
3604	R-CCS	F	Pool-NP-GR-NWD	6-23-69	83	83	517			T	3-68		3-68			N		3-68
3605	R-CCS	F	Pool-NP-Og-LA	6-24-69	80	80	520			T	3-68		3-68			N		3-68
3606	R-CCS	F	Pool-Og-GB-KC	4-2-69	78	78	522			T	4-68		4-68			N		4-68
3607	R-CCS	F	Pool-NP-Og-LA	4-2-69	76	76	524			T	4-68		4-68			N		4-68
3608	R-CCS	F	Pool-Og-GB-KC	4-2-69	70	70	530			T	4-68		4-68			N		4-68
3609	R-CCS	F	Pool-NP-Og-LA	4-2-69	67	67	533			T	4-68		4-68			N		4-68
3610	R-CCS	F	Pool-Og-GB-KC	4-3-69	75	75	525			T	4-68		4-68			N		4-68
3611	R-CCS	F	"	4-26-69	63	63	537			T	4-68		4-68			N		4-68
3612	R-CCS	F	"	4-3-69	76	76	524			T	4-68		4-68			N		4-68
3613	R-CCS	F	"	4-11-69	72	72	528			T	4-68		4-68			N		4-68
3614	R-CCS	F	Pool-NP-Og-LA	4-5-69	81	81	519			T	4-68		4-68			N		4-68
3615	R-CCS	F	"	4-4-69	78	78	522			T	4-68		4-68			N		4-68
3616	R-CCS	F	"	4-5-69	73	73	527			T	4-68		4-68			N		4-68
3617	R-CCS	F	Held-Salt Lake	4-6-69	76	76	524			T	4-68		4-68			N		4-68
3618	R-CCS	F	Pool-NP-Og-LA	4-9-69	80	80	520			T	4-68		4-68			N		4-68
3619	R-CCS	F	"	4-9-69	78	78	522			T	4-68		4-68			N		4-68
3620	R-CCS	F	Pool-Og-GB-KC	4-16-69	67	67	533			T	4-68		4-68			N		4-68
3621	R-CCS	F	"	4-11-69	69	69	531			T	4-68		4-68			N		4-68
3622	R-CCS	F	"	4-20-69	67	67	533			T	4-68		4-68			N		4-68
3623	R-CCS	F	"	4-20-69	65	65	535			T	4-68		4-68			N		4-68
3624	R-CCS	F	Pool-NP-Og-LA	3-5-69	96	96	504			T	3-68		3-68			N		3-68
3625	R-CCS	F	Pool-Og-GB-KC	3-5-68	93	93	507			T	3-68		3-68			N		3-68

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO WYOMING DIVISION



Month Ending AUGUST 31, 1968

34

(1) UNIT NUMBER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
FREIGHT																		
3626	R-CCS	F	Pool-NP-GR-NWD	4-26-69	62	62	538			T	4-68		4-68			N		4-68
3627	R-CCS	F	Pool-NP-Og-LA	3-7-69	87	87	513			T	3-68		3-68			N		3-68
3628	R-CCS	F	"	3-6-69	89	89	511			T	3-68		3-68			N		3-68
3629	R-CCS	F	"	3-7-69	89	89	511			T	3-68		3-68			N		3-68
3630	R-CCS	F	Pool-Og-CB-KC	3-6-69	89	89	511			T	3-68		3-68			N		3-68
3631	R-CCS	F	Pool-NP-GR-N WD	3-6-69	93	93	507			T	3-68		3-68			N		3-68
3632	R-CCS	F	Pool-NP-Og-LA	3-5-69	89	89	511			T	3-68		3-68			N		3-68
3633	R-CCS	F	Pool-N P-GR-NWD	3-6-69	94	94	506			T	3-68		3-68			N		3-68
3634	R-CCS	F	Pool-Og-CB-KC	3-5-69	94	94	506			T	3-68		3-68			N		3-68
3635	R-CCS	F	Pool-NP-Og-LA	3-6-69	90	90	510			T	3-68		3-68			N		3-68
3636	R-CCS	F	Pool-NP-GR-NWD	3-11-69	89	89	511			T	3-68		3-68			N		3-68
3637	R-CCS	F	Pool-Og-CB-KC	3-6-69	87	87	513			T	3-68		3-68			N		3-68
3638	R-CCS	F	Pool-NP-Og-LA	3-8-69	84	84	516			T	3-68		3-68			N		3-68
3639	R-CCS	F	"	3-8-69	91	91	509			T	3-68		3-68			N		3-68
3640	R-CCS	F	"	3-11-69	84	84	516			T	3-68		3-68			N		3-68
3641	R-CCS	F	"	3-12-69	91	91	509			T	3-68		3-68			N		3-68
3642	R-CCS	F	"	3-15-69	85	85	515			T	3-68		3-68			N		3-68
3643	R-CCS	F	Pool-Og-CB-KC	3-14-69	84	84	516			T	3-68		3-68			N		3-68
3644	R-CCS	F	Pool-NP-Og-LA	3-15-69	84	84	516			T	3-68		3-68			N		3-68
3645	R-CCS	F	"	6-14-79	85	85	515			T	3-68		3-68			N		3-68
3646	R-CCS	F	"	3-14-69	80	80	520			T	3-68		3-68			N		3-68
3647	R-CCS	F	Pool-NP-GR-NWD	3-18-69	86	86	514			T	3-68		3-68			N		3-68
3648	R-CCS	F	Pool-Og-DB-KC	6-25-69	85	85	515			T	3-68		3-68			N		3-68
3649	R-CCS	F	"	6-23-69	82	82	518			T	3-68		3-68			N		3-68
(50)																		

* THESE UNITS ARE EQUIPPED WITH "LOGOTROL" (Radio Remote Control)

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO NEBRASKA DIVISION

Month Ending AUGUST 31, 1968

(1) UNIT NUMBER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
<u>RD SWITCH</u>																		
1270	R	S	Omaha	11-13-68	290	421	259			T	2-63		5-59			CG	Om	11-66
1280	R	FL	Rawlins	7-18-69	670	266	134			T	3-57		4-48			AXE	Om	9-62
1281	R	S	Held-Cheyenne	8-16-69	670	282	18			6	12-56		4-58			A-98mos.	Om	8-60
1285	R-PP	FB	Rawlins-Encampment	8-25-69	594	18	282			T	5-67		6-48			CG	Om	5-67
1286	R	S	Held-Cheyenne	10-9-68	568	176	124			T	10-65		5-58			Eng. Exe.	Om	5-67
1289	R-MU-PP	S	Gr. Island	11-17-68	692	149	151			T	6-48		6-48			AXE	Om	3-62
(6)																		
1871	R-MU	S	North Platte	5-24-69	611	125	175			T	10-67		9-51			AXE	SL	10-63
1871B	MU	S	North Platte	5-24-69	611	284	26			T	10-67		9-51			E	SL	11-57
(2)																		
<u>SWITCH</u>																		
1101	R	S	Omaha	10-9-68	968	46	14			T	12-64		9-43			CG	Om	12-64
1104	R	S	Cheyenne	4-19-69	973	50	10			10	4-64		11-43			CG	Om	4-64
1109	R	S	Cheyenne	2-25-69	1003	31	29			T	2-66		11-43			C	Om	2-66
1116	R	S	Lincoln	2-15-69	915	42	18			T	3-65		1-44			CG	Om	3-65
1117	R	S	Held-Gr. River	1-17-69	907	37	23			T	8-64		2-44			CG	Om	9-64
1119	R	S	Valley-Fremont	11-22-68	860	93	6			6	12-60		6-45			CG	Om	12-60
1121	R	S	Weco	7-10-69	786	32	28			T	2-67		6-45			C	Om	4-64
1122	R	S	Council Bluffs	3-11-69	804	54	6			6	3-64		6-45			CG	Om	3-64
1125	R	S	Held-Council Bluffs	5-20-69	880	27	33			T	2-64		6-45			C	Om	6-66
1132	R	S	Omaha	8-13-69	846	25	35			T	6-62		8-45			AXE	Om	8-66
1143	R	S	Omaha	10-12-68	812	35	25			T	10-65		12-45			CG	Om	10-65
1144	R	S	Columbus	9-7-68	812	14	46			T	2-67		12-45			CG	Om	2-67
1145	R	S	Omaha	11-2-68	835	22	38			T	4-63		12-45			CG	Om	11-66
1146	R	S	Council Bluffs	4-15-69	837	28	32			T	8-60		12-45			AXE	Om	4-66
1148	R	S	Omaha	1-1-69	783	43	17			T	11-64		12-45			AXEG	Om	11-65
1168	R	S	Cheyenne	8-13-69	320	1	59			T	12-60		7-55			CG	Om	12-60
1169	R	S	Omaha	5-20-69	511	35	25			T	1-64		7-55			CG	Om	10-65
1170	R	S	Omaha	2-13-69	542	31	29			T	2-65		7-55			AXE	Om	2-66
1172	R-MU	FB	Columbus-Norfolk	6-17-69	396	39	21			T	6-65		7-55			CG	Om	6-65
1183	R-MU	S	Cheyenne	11-4-68	311	31	29			T	11-65		12-55			CG	Om	11-65
1184	R-MU	S	North Platte	11-8-68	542	46	14			T	10-65		12-55			AXE	Om	11-64
1185	R-MU	S	Cheyenne-Eng. Shop-Eng.	10-4-68	428	-	-			T	12-55		12-55			E		12-55
1186	R-MU	S	North Platte	5-3-69	477	40	20			T	1-56		1-56			CG	Om	5-65
1187	R-MU	S	North Platte	7-25-69	470	26	34			T	7-66		1-56			AXEG	Om	7-66
1188	R-MU	S	Cheyenne	9-21-68	449	59	13			T	3-63		1-56			CG	Om	3-63

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO WYOMING DIVISION

Month Ending AUGUST 31, 19 68

16

(1) UNIT NUMBER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
<u>SWITCH</u>																		
1190	R-MU	S	Cheyenne	3- 8-69	347	6	54		T	11-65		1-56			CG	Om	3-66	
1192	R-MU	S	Held-North Platte RR	10-16-68	363	139	6		6	1-56		1-56			N	Om	1-56	
1195 (28)	R-MU-PP	FB	Kearney-Stapleton	2-17-69	395	7	53		T	2-68		3-56			AXEIG	Om	2-68	
1843	R	FB	Ogden-Hillfield	1- 9-69	517	184	6		6	4-53		4-53			N		4-53	
1851	R	S	Green River	7-13-69	501	26	34		T	7-66		10-53			CG	Om	7-66	
1852	R	S	Held-Ogden RR	8-30-69	381	176	6		6	10-53		10-53			N	Om	10-53	
1853	R	S	Green River	9-21-68	450	24	36		T	9-66		10-53			CG	Om	9-66	
1854	R	S	Laramie	6-20-69	506	168	6		6	11-53		11-53			N		11-53	
1855	R	S	Laramie	1-27-69	608	20	40		T	1-67		10-53			CG	Om	1-67	
1856	R	S	Green River	5-10-69	579	28	32		T	5-66		11-53			CG	Om	5-66	
1857	R	S	Green River	5-26-69	564	3	57		T	4-66		11-53			AXE	CY	5-68	
1858	R	S	Green River	2-24-69	603	31	29		T	2-66		11-53			CG	Om	2-66	
1859	R	S	Omaha	1- 7-69	652	133	6		6	2-58		11-53			EG	Om	2-58	
1860	R	S	Omaha	12- 4-68	659	57	15		T	12-53		11-53			AXE	Om	12-53	
1861	R	S	Shop-Cheyenne "B"	8-30-68	716	-	-			11-53		11-53			N		11-53	
1862	R	S	Omaha	9- 3-69	660	175	6		6	11-53		11-53			N		11-53	
1863	R	S	Omaha	5-27-69	654	27	33		T	6-66		11-53			CG	Om	6-66	
1864	R	S	Omaha	11-10-68	636	22	38		T	1-64		11-53			AXE	Om	11-66	
1865	R	S	Council Bluffs	12- 7-68	654	21	39		T	12-66		11-53			CG	Om	12-66	
1866 (17)	R	S	Council Bluffs	8- 9-69	648	1	59		T	8-68		11-53			CG	Om	8-68	

SERVICE, LOCATION AND CONDITION OF DIESEL POWER UNITS ASSIGNED TO WYOMING DIVISION

Month Ending AUGUST 31, 1968

(1) UNIT NUMBER	(2) EQUIPPED WITH	(3) CLS. OF SER.	(4) LOCATION AND ASSIGNMENT	(5) ANNUAL INSPECTION DUE	(6) UNIT MILES (Thous.)	(7) ENGINES-NEW OR OVERHAULED-MILES (Thousands) EXCEPT YARD SWITCH-NUMBER OF MONTHS				(8) N. Y. 473 MOS. GOOD FOR	(9) MAIN GENERATORS NEW OR OVERHAULED		(10) WIRING NEW OR RENEWED	(11) STEAM GENERATORS NEW OR OVERHAULED		(12) LAST SHOPPING		
						NO. 1 MADE	GOOD FOR	NO. 2 MADE	GOOD FOR		NO. 1	NO. 2		RIGHT	LEFT	REPAIRS	SHOP	OUT DATE
<u>LEASED FROM SPOKANE INTERNATIONAL R. R. COMPANY</u>																		
<u>MONTHS</u>																		
<u>SWITCH</u> SI-1220 (1)	R-WU-PP	S	Council Bluffs	11-5-68	619	20	40		T	11-66		7-53			CG	Om	11-66	
<u>LEASED TO O.U.R. & D. COMPANY</u>																		
<u>MONTHS</u>																		
1006	R	S	Ogden	10-25-68	1,118	29	31		T	11-57		6-40			O	SL	4-66	
1066	R	S	Ogden	3- 4-69	824	68	6		6	11-62		5-47			CG	SL	11-62	
1839	R	S	Held-Ogden	1- 6-69	602	56	6		6	4-53		4-53			B-123mos.	Og	12-63	
1840	R	S	Ogden	12- 8-68	613	180	6		6	4-53		4-53			A-123mos.	Og	12-53	
1841	R	S	Ogden	3-11-69	634	65	6		6	4-53		4-53			AXE	SL	4-63	
1842	R	S	Ogden	2-12-69	622	78	6		6	4-53		4-53			N		4-53	
1844	R	S	Ogden	3- 6-69	630	180	6		6	4-53		4-53			B-123mos.	Og	8-62	
1845 (8)	R	S	Ogden	1-25-69	628	186	6		6	4-53		4-53			N		4-53	

SERVICE LOCATION AND CONDITION OF LOCOMOTIVES-MOTOR CARS-SNOW PLOWS ETC. ASSIGNED TO WYOMING DIVISION

Provided by
www.uphs.org



Month Ending AUGUST 31, 19 68

RECAPITULATION													LOCOMOTIVES TRANSFERRED			LOCATION OF MISCELLANEOUS EQUIPMENT								
CLASS	TYPE	PASSENGER				FREIGHT				SWITCH	WORK	IN & AWTG. SHOP	LAID UP	STD SERV.	TOTAL	RECEIVED			NUMBER	CLASS OF EQUIPMENT	LOCATION	NUMBER	CLASS OF EQUIPMENT	LOCATION
		MAIN LINE		BRANCH	HELPER	MAIN LINE		BRANCH	HELPER							NUMBER	FROM	DATE						
		POOL	LOCAL			POOL	LOCAL																	
SHAY	4-4-4																							
CONS	2-8-0																							
FEF	4-8-4																							
T	4-6-0																							
MCA LT.	2-8-2																							
MCA HY.	2-8-2																							
PAC. LT.	4-6-2																							
PAC. HY.	4-6-2																							
MALL-S	2-8-8-0																							
C S A	4-6-6-4																							
FSSF	4-6-6-4																							
FEEF	4-8-8-4																							
SW	0-6-0																							
T T T	2-10-2																							
F T T	4-10-2																							
MT	4-8-2																							
UP	4-12-2																							
DIESEL	PASS					298	11	10	4	15	2	38	3	2	2	384								
"	FRT																							
"	SW									37		4	1	1		46								
"	RD SW									4		2				8								
GIS	FRT					15						8			3	26								
MOTOR CAR																								
TOTAL						374	12	20	4	56	2	52	4	3	4	465								

SUPPLEMENT ATTACHED

DELIVERED

NUMBER	TO	DATE
1-1B	Retired	8-26-68 Per W.O. 15764
2-2B	Retired	8-26-68 Per W.O. 15764
3-3B	Retired	8-26-68 Per W.O. 15764
4-4B	Retired	8-26-68 Per W.O. 15764

REMARKS:

C. T. Armstrong
General Master Mechanic
August 31, 1968
KAR